

Grandstream GXV3450 16-Line IP Video Phone



Product Name: Grandstream GXV3450 16-Line IP Video Phone

Manufacturer: Grandstream Model Number: GXV3450

Please Note: This product is currently being sold at a promotional price whilst stocks last.

Grandstream GXV3450 16-Line IP Video Phone

The GXV3450 is an advanced desktop video collaboration solution that combines a 16 line IP phone with the functionality of an Android tablet to offer an all-in-one communication solution. It is the ideal desktop device for busy professionals and executives and also offers a powerful yet cost-effective device for any conference room.

Grandstream GXV3450 16-Line IP Video Phone Key Features

� 16 lines with up to 16 SIP accounts

ī సై Built-in 2 mega-pixel CMOS camera for video calling with privacy shutter

� Runs on the Android 11 operating system

ī¿½ Built-in Bluetooth 5.0 for syncing with mobile devices and connecting Bluetooth headsets

آذًا Dual-switched auto-sensing 10/100/1000Mbps network ports

تز½ Integrated dual-band Wi-Fi 5 (2.4GHz & mp; 5GHz)

าั¿½ Built-in PoE/PoE+ for power and network connections

T¿½ Dual-mic HD speakerphone with noise shield 2.0, advanced echo cancellation & excellent double-talk performance

าั¿½ Quad-core 1.8GHz ARMCortex-A55 processor with 2GB RAM and 16GB eMMC Flash

ī సైస్ట్ 5'' (1280x720) capacitive 5-point touch screen IPS LCD

าั¿½ Peripherals include USB3.0, USB 2.0, RJ9 headset with EHS

تزرير 10-way audio conferencing & amp; 3-way 720p 30fps HD video conferencing capability

The GXV3450 adds dual Gigabit ports with PoE/PoE+, integrated Wi-Fi 5, and Bluetooth 5.0 support. It also runs Android 11 and offers instant access to hundreds of thousands of Android apps. By combining a state-of-the-art IP video phone, an advanced video collaboration solution. Grandstream GXV3450 16-Line IP Video Phone Technical Specifications:

Network Interfaces

� Dual Switched 10/ 100/ 1000 Mbps Ports with Integrated PoE/PoE+

Graphic Display

าั¿½ 8.0 inch 1280 × 800 Capacitive Touch Screen IPS LCD

Camera

ī స్ట్రీ Tiltable 2 Mega Pixel CMOS Camera with Privacy Shutter.

Bluetooth

ï¿1/2 Integrated Bluetooth 5.0

Wi-Fi

าั¿½ Dual Band (2.4GHz and 5GHz) with 802.11 a/b/g/n/ac/ax, 2T2R, Wi-Fi Display & AirPlay

Auxiliary Ports



Grandstream GXV3450 16-Line IP Video Phone

าั¿½ RJ9 Headset Jack (Allowing EHS with Plantronics / Poly Headsets), 3.5mm Headset Jack, USB 3.0 port, Type-C, HDMI-out, HDMI-in

>Feature Keys

าั¿½ 2 Function Touch Keys VOLUME+/-, 3 Dedicated Android Touch Keys HOME, MENU and BACK

Voice Codecs and Capabilities

ī¿½ Wideband Opus, Wideband G.722, G.711μ/a, G.729A/B, G.726-32, iLBC, in-band and out-of-band DTMF (In audio, RFC2833, SIP INFO), VAD, CNG, AEC, PLC, AJB, AGC, ANS, Noise Shield 2.0

Telephony Features

T¿½ Hold, Transfer, Forward (Unconditional/No Answer / Busy), Call Park / Pickup, 12 Way Audio Conference (Including theHost), Shared Call Appearance (SCA) / Bridged Line Appearance (BLA), Nirtual MPK, Downloadable Contacts (XML, LDAP, Up to 2000 Items), Call Record (Local and Server), Call Log (Up to 2000 Records), Call Waiting, Auto Answer, XML Customisation of Screen, Flexible Dial Plan, Personalised Music Ringtones and Music on Hold, Server Redundancy & Samp; Fail Over

Sample Applications

ϊ¿½ Local Apps - Contacts, Call History, File Manager, Programmable Key, Settings, Browser, Clock, Voicemail, Calculator, Recorder, GS Market, etc

Android

ï¿⅓ Runs on Android 11 Operating System ï¿⅓ HD Audio

Base Stand

าั¿1/2 Integrated Stand with Multiple Adjustable Angles

Security

� User and Administrator Level Passwords, Random Default Admin Password, MD5 and MD5-sess based Authentication, 256-bit AES Encrypted Configuration File, TLS, SRTP, HTTPS, 802.1x Media Access Control, Kensington Security Slot (Kensington Lock) Support, Anti-hacking Secure Boot

Multi-Language

آذِن English, German, Italian, French, Spanish, Portuguese, Russian, Croatian, Chinese, Korean, Japanese, and moreUpgrade / ProvisioningFirmware Upgrade via TFTP / HTTP / HTTPS or local HTTP Upload, Mass Provisioning using TR-069 or AES Encrypted XML Configuration File, GDMS

Power & Energy Efficiency

T¿½ Universal Power Adapter Included - Input: 100-240VAC 50-60Hz; Output 12VDC 1.5A (18W) Integrated PoE* 802.3af Class 3, PoE+ 802.3at, Class 4*Must use PSU or PoE+ to Power up the Phone when using USB Devices*



Grandstream GXV3450 16-Line IP Video Phone

Package Contents

าั¿½ Grandstream GXV3480 IP Video Phone with Integrated Base Stand

ï¿1/2 Handset with Curly Cord

� Universal Power Supply

ï¿1/2 Screen Cleaning Cloth

Price: £265.70