

Snom D140 Desk phone



Product Name: Snom D140 Desk phone

Manufacturer: Snom

Model Number: D140

Snom D140 Desk Phone

The Snom D140 is suitable for all work environments in which cost-effective but high-quality communication is required. The device, equipped with slate grey housing, offers all the important telephony functions.

Snom D140 Key Features

- 2 SIP identities

- Low power consumption

- 2.8" TFT LCD - grayscale display

- 360°; notification display

Two freely programmable SmartLabel keys, six dedicated and four context-sensitive function keys are available for simple and intuitive operation. The D140 is ideal for large installations, e.g. in public administrations.

Snom D140 Technical Specifications

Basics

- Product information

- IP desk phone

- PN 00004651

- Colour: slate gray

- Operating system: Linux

- Placement: indoor, desktop, wall mounting

Dimensions and weight

- Dimensions (L × W × H, approx.) without footstand

- 205 mm × 185 mm × 40 mm

- Dimensions (H x W x D, approx.) with footstand

- 205 mm × 185 mm × 220 mm (high angle 46°)

- 205 mm × 185 mm × 200 mm (low angle 28°)

- Weight (approx.):

- 710 g without footstand

- 830 g with footstand

Display and indicators

- Display

Snom D140 Desk phone

- 1.5" TFT liquid crystal display (LCD), graphical, grayscale, backlit
- 1.5" Size (diagonal): 2.8" (67 mm)
- 1.5" Size (W × H): 59 mm × 33 mm
- 1.5" Resolution: 320 × 240 pixels

- 1.5" 3 LED indicators

- 1.5" Call status indication: 1 red LED
- 1.5" Function key status indication: 2 multicolour LEDs

Keypad and function keys

- 1.5" 36 hard keys in total
- 1.5" 12 keys (standard ITU telephone keypad)
- 1.5" 4 context-sensitive function keys
- 1.5" 5-way navigation key
- 1.5" 2 SmartLabel keys (with multicolour LED)
- 1.5" 5 dedicated audio keys

- 1.5" Mute, Speakerphone, Headset, Volume + / - (rocker)

- 1.5" 6 dedicated function keys

- 1.5" Ok, Cancel, DND, Message (with red LED), Directory, Menu, Transfer, Hold

- 1.5" Keyboard lock

Audio devices, codecs and features

- 1.5" Corded receiver:

- 1.5" Hearing aid compatible (HAC)

- 1.5" Audio codecs

- 1.5" G.711 (A-law, μ-law), G.722, G.726, G.729, GSM 6.10 (FR)

- 1.5" Dual-tone multi-frequency signaling (DTMF / RFC2833)

- 1.5" SIP-INFO, in-band, out-of-band

- 1.5" Related features

- 1.5" Built-in assignable ringtones
- 1.5" Comfort Noise Generator (CNG)
- 1.5" Voice Activity Detection (VAD)

Snom D140 Desk phone

Interfaces and connections

½ Power options

½ Power over Ethernet (PoE)

½ IEEE 802.3af, class 1 | IEEE 802.3az

½ Power adapter

½ 100 - 240 V AC, 50 - 60 Hz | 5 V DC (SELV), 2 A, 10 W

½ Wired interfaces

½ Power adapter:

½ 1 coaxial power connector (socket)

½ Ethernet 10/100 Mbit/s: 2 × RJ45-8P8C sockets

½ Corded receiver: RJ9-4P4C socket

½ Headset: 1 RJ9-4P4C socket

½ EHS adapter: 1 RJ12-6P6C (EHS) socket

½ Sensors

½ Hook switch sensor

See Datasheet for full Technical specification

Price: £47.25