

# Gigaset N300IP DECT Base Station & Gigaset R410H Cordless DECT Phone - One Handset Bundle



Product Name: Gigaset N300IP DECT Base Station & Gigaset R410H Cordless DECT Phone - One Handset Bundle

Manufacturer: -Model Number: N300IPR410-1

Please Note: The Gigaset R410H has been discontinued.

Gigaset N300IP DECT Base Station & amp; Gigaset R410H Cordless DECT Phone - One Handset Bundle

The Gigaset N300IP DECT Base Station & amp; Gigaset R410H Cordless DECT Phone - One Handset Bundle will enable you to enhance your office communications setup. The Gigaset R410H PRO DECT Phone is designed for use in tough environments. Equipped with a splash water and dust protected surface and a shock resistant housing it is perfect for all day use. Whats included:

ī¿½ 1 x Gigaset N300IP DECT Base Station ī¿½ 1 x Gigaset R410H PRO DECT Phone

The R410H PRO is perfect to use with N720 IP PRO, N510 IP PRO and the Gigaset DX800A All-in-one, a hybrid desktop phone. But it can also be connected to all other Gigaset DECT base stations. Zero-touch installation ensures quick and easy configuration. Key Features of the Gigaset R410H PRO

- ï¿1/2 Dust and splash water protected (IP 54)
- ï¿1/2 Shock resistant
- ï¿1/2 Vibration alert
- ii 1/2 Handsfree talking with brilliant sound quality
- ï¿1/2 Illuminated graphical colour display with 5 lines
- $i_{2}i_{2}$  Phonebook for up to 150 names and numbers
- ï¿1/2 Ergonomic, high quality keypad
- ï¿1/2 Easy access to missed call list via illuminated MWI key
- ï¿1/2 Headset connection via 2.5mm jack

The Gigaset N300 IP is the easy-to-configure hybrid DECT IP base station that lets users enjoy calling over both a landline and the internet. Multi-line support allows registration of up to 6 different compatible Gigaset handsets to the base station and up to 4 parallel calls (1 landline + 3 VoIP) can be made at once. All VoIP calls are in HD sound thanks to exceptional HDSP™ technology. Energy-saving2 ECO DECT means that the Gigaset N300 IP is eco-conscious as well as hi-tech.Features of the Gigaset N300 IP

ïزئ Hybrid DECT IP base station for landline and VoIP calls

- ï¿1/2 Multi-line for up to 6 handsets and 4 parallel calls
- HD sound on VoIP calls1
- ï¿<sup>1</sup>/<sub>2</sub> Energy-saving2 ECO DECT

ï¿1/2 Compatible with multiple Gigaset handsets

ï¿1/2 Compatible with provisioning standards: TR069, MAC address, code based

auto-configuration

ï¿1/2 Expandable up to 6 VoIP accounts / numbers

ï¿1/2 Free calls between Gigaset VoIP phones via Gigaset.net

ï¿1/2 Email reader

ï¿1/2 Search in net directories and Yellow Pages



### Gigaset N300IP DECT Base Station & Gigaset R410H Cordless DECT Phone - One Handset Bundle

## Gigaset R410H PRO DECT Phone Technical Specifications Phonebook and Dialing

- ï¿1/2 Phonebook for up to 150 names and numbers
- $\ddot\imath {\it c}^{1\!\!\!/_2}$  Large font available for phonebook entries
- ï¿1/2 Redialling of last 20 numbers entered
- ï¿1/2 9 programmable keys
- iزئ Automatic redial function in conjunction with telephone system
- ï¿1/2 Direct access to outgoing line via off-hook key
- i¿1/2 Dial preparation: input and correction of phone numbers before connecting

#### **Recieving Calls**

- ï¿1/2 Caller indication displayed via CLIP and CNIP
- ï¿<sup>1</sup>/<sub>2</sub> 15 ringer melodies
- ï¿<sup>1</sup>/<sub>2</sub> Individual ringer melodies for VIP entries

#### Missed Calls

- i¿1/2 Comfortable access to missed call list by dedicated, illuminated MWI key
- � List showing up to 30 missed calls with caller indication
- ï¿1/2 Direct dialling of the missed call list

#### DECT Range

i¿1/2 Indoor range: up to 50 meters i¿1/2 Outdoor range: up to 300 meters

Operation Time

- ï¿1/2 Talk time: up to 12 hours
- $\ddot{\imath}_{\mathcal{E}}^{1/_{2}}$  Standby time: up to 250 hours
- ï¿1/2 Charge time: < 8 hours

**Dialing Time** 

ï¿1/2 DTMF, pulse

**Headset Dimensions** 

ï¿1⁄2 151mm (L) x 53mm (D) x 28mm (H), 112g

Green Office

ï¿1/2 Up to 60% less energy consumption, thanks to an energy-saving power supply

#### Packaging

� Handset, battery cover for handset, Li-Ion battery, belt clip, charger, power supply for charger, user documentation
 � Dimension: 224 mm (L) x 166mm (D) x 60mm (H)
 � Overall weight approx.: 340g



# Gigaset N300IP DECT Base Station & Gigaset R410H Cordless DECT Phone - One Handset Bundle

#### **Environmental Conditions**

- ï¿1/2 Operating temp: +5 to +45° C
- i¿1/2 Storage temp: -15 to +60° C (maximum storage time one week)
- ï¿1/2 Relative Humidity: 20% -75% non condensating

Siemens Gigaset N300IP DECT Base Station Key Benefits for end-users:

- ï¿1/2 Plug & amp; play
- ï¿1/2 Stand-alone basis
- ï¿1/2 Multi-line: up to 4 parallel calls (3 VoIP + 1 PSTN calls)
- ï¿1/2 Multi-user: up to 6 handsets & amp; 6 VoIP accounts/phone numbers
- ï¿<sup>1</sup>/<sub>2</sub> Exceptional sound quality (HDSP)1), 3)
- ï¿<sup>1</sup>/<sub>2</sub> Search in online directories (white and yellow pages) 2)
- � Access to online information (e.g. emails, weather, eBay companion, encyclopedia, etc)2), 8)

Key Benefits for VoIP Providers:

ï¿1⁄₂ Auto-provisioning

- � Easy setup
- ï¿1/2 Software upgrade / Software Downgrade

Basic IP telephony features

ï¿1/2 Expandable phone system with multiline functionality for up t6 handsets

ï¿1/2 Up t6 SIP accounts from different providers

i¿½ Assign SIP accounts individually thandsets (send & receive direction specifically) i¿½ Multi-Line type system (6 x VoIP + 1 x PSTN) allows: Line selection for each call via menu selection

ï¿1/2 Up t4 calls in parallel (3 internet calls + 1 landline calls)

� Easy configuration of internet telephony (VoIP) by wizard and download of provider setting profiles (>200 providers supported)

Enhanced IP Telephony

ï¿1/2 Embedded SIP VoIP with codecs: G.711, G.722, G.726, G.729AB6)

� Gigaset.net: free of charge calls between Gigaset VoIP phones. Nickname search in Gigaset.net community.

ï¿1/2 Auto-fallback tPSTN, if the phone cannot establish a VoIP connection

i¿½ VoIP supplementary services (device controlled): conference, hold/toggle, call forwarding i¿½ Call transfer via R key Quality of service2): ToS, Diffserv, configurable DSCP values for SIP and RTP

IP features and services Online directories

ï¿1/2 Online directory and Yellow Page search (multiple directories supported) 2).

ï¿<sup>1</sup>/<sub>2</sub> Reverse search (number -&gt; contact).

ïزائ Reverse lookup online (display of caller id from online directory)

ï¿1/2 Link tuser defined online directory

Email



### Gigaset N300IP DECT Base Station & Gigaset R410H Cordless DECT Phone - One Handset Bundle

i¿½ New Emails are indicated on the handset8) by illuminated MWI-key
i¿½ Read Emails on handset (up t560 characters) 2), 8)
i¿½ Delete Emails via handset2), 8).
i¿½ Support of POP3/POP3S Email accounts2), 8)

Applications and Services

i¿½ Easy access tonline information on handset8) via screensaver and interactive InfCenter: -Weather, RSS Feeds, eBay Companion, Translator, Encyclopedia, Horoscope, Biorhythm, Unit Converter2), 8) - User defined services2), 8) i¿½ Initiate calls on handset from InfService pages (click-to-call) 2), 8)

Setup and provisioning

� Quickstart setup software
� Easy configuration via web server or from handset
� Administrator friendly configuration via config file
� Plug and Play Auto-provisioning for retail variant via
� MAC address Auto-configuration code
� Plug and Play Auto-provisioning for operator/customer variant via:
� MAC address TR069, TR104, TR106, TR111 / part 1 (part 2 on request)
System and software

� Firmware update directly from handset, without file handling
� Firmware downgrade tfactory delivery status / last version
� DHCP client (Option 60, 114, 120)
� VLAN tagging
� HTTP Proxy support incl. 1.0 compatibility for chunked messages Increased virus protection
thanks tprotected operating system
� Clock synchronization using NTP (Network Time Protocol) server

#### **Please Enquire**