

AVer VC320 All in one USB Conference Camera with Bluetooth & NFC



Product Name: AVer VC320 All in one USB Conference Camera with Bluetooth & NFC Manufacturer: -

Model Number: 61U8A00000AL

Please Note: This product is no longer available. To find an alternative, please see our IP Video Conferencing solutions.

AVer VC320 All in one USB Conference Camera with Bluetooth & amp; NFC The AVer's VC320 Conference Camera offers high-quality video conferencing superior to purely software-based systems, but without the expense of traditional hardware. Extremely easy to use, the VC320 needs only be plugged into a computer via its plug-and-play USB connection for users to enjoy crystal-clear video and audio with nearly any cloud- or web-based video conferencing platform. Moreover, the VC320 boasts a compact design combining a microphone, speaker and electronic Pan Tilt Zoom camera in a single easy-to-carry device, making it the perfect mobile video collaboration solution. AVer VC320 Key Features

ï¿1/2 Full HD 1080p at 30 frame per second

- ï¿1/2 UVC1.1 YUV/MJPEG with H.264 extension
- ï¿1/2 Glass multi-coating lens with 110° field of view

� F-stop: F2.0

- ï¿¹/₂ 5X zoom (including 1.7X lossless zoom)
- ï¿1/2 Smooth and fast electronic pan, tilt and zoom
- ï¿1/2 Manual tilt: ±10°

ï¿¹/₂ Fixed-focus lens support 1 meter to infinity

ï¿1/2 EZCrop* one button auto crop all faces detected into full frame

i¿1/2 Camera privacy shutter button *button on remote control

AVer VC320 - Technical Specifications Package contents

i¿½ VC320 main uniti¿½ Remote controli¿½ Power adapteri¿½ 5M USB cablei¿½ HDMI cablei¿½ Quick-start guide

Camera

ï¿1/2 Full HD 1080p at 30 frame per second

ï¿1/2 UVC1.1 YUV/MJPEG with H.264 extension

ï¿1/2 Glass multi-coating lens with 110° field of view

� F-stop: F2.0

ï¿¹/₂ 5X zoom (including 1.7X lossless zoom)

ï¿1/2 Smooth and fast electronic pan, tilt and zoom

ï¿1/2 Manual tilt: ±10°

ï¿1/2 Fixed-focus lens support 1 meter to infinity

- i¿1/2 EZCrop* one button auto crop all faces detected into full frame
- i¿1/2 Camera privacy shutter button *button on remote control



AVer VC320 All in one USB Conference Camera with Bluetooth & NFC

Speakerphone

i¿½ Integrated full duplex speakerphone with echo cancellation and noise suppression
i¿½ 360° wideband audio with 15-foot diameter range
i¿½ USB, Bluetooth and NFC enabled
i¿½ Bluetooth: HFPF, HSP, A2DP, BLE; Bluetooth 4.0 Class II 10M range
i¿½ Capable of bridging USB and Bluetooth call
i¿½ Mute button on remote, LED indicator on unit

i¿½ 1 omni-directional microphones i¿½ Frequency response: 100Hz – 16KHz i¿½ Sensitivity: -36dB +/-3dB i¿½ Distortion: <1% @ 1KHz at 110dB

Speakers (Rx)

i¿½ Frequency response: 270Hz – 16KHz i¿½ Sensitivity: 80dBSPL +/-3dB at 1W/1M i¿½ Max output: 90dBSPL at 0.5M i¿½ Distortion: <5% at 179Hz – 10kHz i¿½ 5W speaker

Remote control

ï¿1/2 Dockable infra-red remote control

Screen mirroring

 i_{ℓ} ¹/₂ HDMI input and output i_{ℓ} ¹/₂ 2.1A port for powering Chromecast or specified 3rd party wireless display adapter for wireless screen mirroring

Convenience and security

ï¿1/2 Battery life: up to 2 hours videoconferencing or 8 hours Bluetooth audio call

- ï¿¹/₂ Battery rechargeable through AC power (adapter included)
- ï¿1/2 Time to fully charge battery (from AC power, device idle): 3 hours
- ï¿1/2 Standard tripod thread
- ï¿1/2 Kensington security slot

System requirements*

� Windows 7, 8, 8.1, 10
� Mac OS X 10.7 or higher
� Google Chromebook or Chromebox 29.0.1547.70 Platform 4319.79.0 with: - 2.4GHz Intel
Core 2 Due Processor - 2GB RAM or more - Hard drive space for recorded videos  USB 2.0 port

Power supply

� AC 100V ~ 240V



AVer VC320 All in one USB Conference Camera with Bluetooth & NFC

ï¿1/2 Consumption: 12V/2A

Environmental data

- ï¿1/2 Physical characteristics: 0~35°C
- ï¿¹/₂ Operation humidity: 20%~80%
- ï¿1/2 Storage temperature: -20~60°C
- ï¿1/2 Storage humidity: 20%~80%

Physical characteristics

� Package dimensions: 354 x 233 x 158 mm � Package weight: 0.45kg / 1lbs � Camera: 65 x 100 x 300 mm / 0.895kg � Remote control: 150 x 45 x 11 mm / 0.040kg

Compliance and tools

i¿½ YUV, MJPEG, H.264 SVC*, AVC (high and base profile) i¿½ USB 2.0 UVC (USB Video Class) 1.1 with H.264 extension i¿½ HDMI 1.3 *This feature will be available in the future.

Compatible applications

ï¿1/2 Skype™, Microsoft® Lync, Google Hangouts™, FaceTime®, Cisco Webex®, GoToMeeting®, Adobe®

Please Enquire