

## Grandstream GRP2616 IP Phone



Product Name: Grandstream GRP2616 IP Phone

Manufacturer: Grandstream

Model Number: GRP2616

### Grandstream GRP2616 6-line Carrier-Grade IP Phone

The Grandstream GRP2616 is a high-end, 6-line carrier-grade IP phone designed with zero-touch provisioning for mass deployment and easy management. The GRP2616 supports 6 SIP accounts and a range of next generation features including integrated WiFi, Bluetooth support, 48 virtual multi-purpose keys (MPKs) and dual Gigabit ports. The GRP2616 serves the needs of busy desktop workers and is designed for easy deployment by enterprises, service providers and other high-volume markets.

### Grandstream GRP2616 Key Features

- 4.3" colour LCD screen with swappable face plates

- 2.4" additional colour display screen

- 6 line keys, 6 SIP accounts

- 48 virtual multipurpose keys (VPKs)

- Gigabit network port, PoE network port

- Dual band 802.11 a/b/g/n/ac WiFi

- Integrated Bluetooth

- HD audio support

- Encrypted data storage protection

The GRP2616 features a modern, sleek design and benefits from a 4.3 inch color LCD screen with swappable face plates to allow for easy logo customisation. This model also includes an additional 2.4 inch display screen.

The GRP series includes carrier-grade security features to provide enterprise-level security, including secure boot, dual firmware images and encrypted data storage.

For cloud provisioning and centralised management, the GRP2616 is supported by Grandstream's Device Management System (GDMS), which provides a centralized interface to configure, provision, manage and monitor deployments of Grandstream endpoints. Built for the needs of busy desktop workers and designed for easy deployment by enterprises, service providers and other high-volume markets, the GRP2616 offers an easy-to-use and easy-to-deploy voice platform.

### Grandstream GRP2616 Technical Specifications

#### Protocols/Standards

- SIP RFC3261, TCP/IP/UDP, RTP/RTCP, HTTP/HTTPS, ARP, ICMP, DNS(A record, SRV, NAPTR), DHCP, PPPoE, TELNET, TFTP, NTP, STUN, SIMPLE, LLDP, LDAP, TR-069, 802.1x, TLS, SRTP, IPV6

#### Network Interfaces

- Dual switched auto-sensing 10/100/1000 Mbps Gigabit Ethernet ports with integrated PoE

#### Bluetooth

- Yes, integrated

#### WiFi

- Yes, integrated dual-band Wi-Fi 802.11 a/b/g/n/ac (2.4Ghz & 5Ghz)

#### Graphic Display

## Grandstream GRP2616 IP Phone

- 4.3 inch (480x272) TFT color LCD
- 2.4 inch (240x320) additional screen

### Voice Codecs and Capabilities

- Support for G.729A/B, G.711 & micro/a-law
- G.726, G.722(wide-band)
- G.723, iLBC
- OPUS, in-band and out-of-band DTMF(in audio, RFC2833, SIP INFO)

### Telephony Features

- Hold, transfer,
- Forward
- 3-way conference,
- Call park
- Call pickup
- Shared-call-appearance(SCA)/bridged-line-appearance(BLA)
- Downloadable phonebook(XML, LDAP, up to 2000 items),
- Call waiting,
- Call log(up to 2000 records),
- XML customization of screen
- Off-hook auto dial, auto answer
- Click-to-dial
- Flexible dial plan
- Hot-desking,
- Personalised music ringtones and music on hold
- Server redundancy and fail-over

### HD Audio

- Yes, HD handset and speakerphone with support for wideband audio

### Feature Keys

- 6 dual-color line keys with up to 6 SIP accounts (can be digitally programmed as up to 24 provisionable BLF/fast-dial keys)
- 5 XML programmable context sensitive softkeys
- 5 navigation/menu keys
- 10 dedicated function keys for:MESSAGE(with LED indicator)
- PHONEBOOK, TRANSFER, CONFERENCE, HOLD, HEADSET, MUTE, SEND/ REDIAL, SPEAKERPHONE, VOL+, VOL

### Base Stand

- Yes, 2 angle positions available, Wall Mountable (Wall Mount \*sold separately)

### QoS

- Layer 2 QoS (802.1Q, 802.1P) and Layer 3 (ToS, DiffServ, MPLS) QoS

### Auxiliary Ports

- RJ9 headset jack (allowing EHS with Plantronics headsets), USB

## Grandstream GRP2616 IP Phone

### Security

• User and administrator level passwords, MD5 and MD5-session based authentication, 256-bit AES encrypted configuration file, SRTP, TLS, 802.1x media access control, secure boot

### Multi-language

• English, German, Italian, French, Spanish, Portuguese, Russian, Croatian, Chinese, Korean, Japanese, and more

### Upgrade/Provisioning

• Firmware upgrade via FTP/TFTP / HTTP / HTTPS, mass provisioning using GDMS/TR069 or AES encrypted XML configuration file.

### Power & Green Energy Efficiency

• Universal power adapter included

• Input: 100-240V

• Output: +12V, 1A

• Integrated Power-over-Ethernet(802.3af)

• Max power consumption 6.1W(power adapter) or 7.8W(PoE)

### Temperature and Humidity

• Operation: 0°C to 40°C Storage: -10°C to 60°C

• Humidity: 10% to 90% Non-condensing

### Package Content

• GRP2616 phone, handset with cord

• Phone stand

• 12V power adapter

• Network cable

• Quick Installation Guide

• GPL license

### Physical

• Unit weight: 1020g

• Package weight: 1650g

• Dimension: 247mm x 228mm x 82.4mm

### Compliance

• FCC: Part 15 Class B; Part 15 Subpart C 15.247; Part 15 Subpart E 15.407; FCC Part 68 HAC; Part 1 Subpart I(MPE) CE: EN 55032; EN 55035; EN 61000-3-2; EN 61000-3-3; EN 62368-1; EN 301489-1; EN 301489-17; EN 300328; EN 301893; EN 62311 RCM: AS/NZS CISPR32; AS/NZS 4268; AS/NZS 62368.1; AS/CA S004; AS NZS 2772.2 IC: ICES-003; CS-03; RSS-247; RSS-102(MPE).

**Price: £137.10**

## Grandstream GRP2616 IP Phone

---

Options available for Grandstream GRP2616 IP Phone :

**Wall Mount Kit Required**

Not Required, [GRP-WM-L \(+£10.00\)](#).

**Need Product Setup / Training / Support?**

Required - 30 minutes (+£40.00), Not Required, Required - 1 Hour (+£65.00).

**Compatible Headsets**

[Grandstream GUV3005 HD USB headset with busy-light \(+£68.00\)](#), Not Required, [Grandstream GUV3000 HD USB headset \(+£35.00\)](#).