



Product Name: Yealink T56A Teams Edition HD IP Phone (T56A\_TEAMS) Manufacturer: Yealink Model Number: T56A\_TEAMS

Yealink T56A Teams Edition HD IP Phone (T56A\_TEAMS) The Yealink T56A\_TEAMS is designed for office workers. The T56A not only features a 7-inch multi-point touch screen, but also owns a Teams-tailored user interface and a faster response speed, all of these make collaboration easier than ever. Presenting a standalone voice solution and an unparalleled audio clarity, the T56A is armed with Yealink's Optima HD Voice technology.

Yealink T56A\_TEAMS Key Features

ï¿<sup>1</sup>⁄<sub>2</sub> 7 inch (1024 x 600) capacitive touch screen

- ï¿1/2 Built in web browser
- ï¿1/2 Optimal HD audio
- ï¿1/2 Based on Android OS
- ï¿1/2 Microsoft Teams-tailored user interface
- ï¿1/2 Supports Office 365, and upgradability of device applications to Teams or SFB
- ï¿1/2 USB 2.0 port, supports USB headset
- ï¿1/2 Dual-port Gigabit Ethernet, PoE support
- ï¿1/2 Full-duplex hands-free speakerphone with AEC
- ïزار Supports Microsoft/Yealink/Unify Square Device Management Platform

Easier to be heard and involved in the callThe T56A combines the professional hardware and software technology to deliver crystal clear voice communications. Thanks to Yealink Optima HD voice, and the hardwares of full-duplex hands-free speakerphone with AEC and HAC handset, T56A delivers excellent audio experience in an open workspace.

Ease of use, low learning costTo extend a seamless workflow on the desktop device, T56A offer a seven-inch 1024x600 capacitive touch screen, Teams-tailored interface, and supports key calling functionality. T56A makes it easier than ever to collaborate with partners while reducing learning costs and increasing the user adoption rate.

Efficient Provisioning and ManagementThe Yealink T56A is coupled with Yealink efficient auto-provisioning mechanism, including phone deployment and configuration. Administrators can take advantage of centralised deployment, management and updating. Moreover, T56A supports several device management platforms, including Microsoft/Yealink/Unify Square Device Management Platform.

Yealink T56A\_TEAMS - Technical Specifications Audio Features

ï¿1/2 HD voice: HD handset, HD speaker

� Hearing aid compatible (HAC) handset
 � Full-duplex hands-free speakerphone with AEC
 � VAD, CNG, AEC, PLC, AJB, AGC

**Call Handling Features** 

� P2P call

ï¿1/2 Cloud PSTN call

ï¿1/2 Call hold/Call mute/Call transfer/Call forward

ï¿<sup>1</sup>∕₂ Group SimRing

 $\ddot{\imath} ¿ \frac{1}{2}$  Second forwarded if unanswered

ï¿1/2 Block calls without caller ID

**Conference Features** 



ï¿1∕2 One-Click Join

- ï¿<sup>1</sup>/<sub>2</sub> Add a Participant to existing meeting
- ï¿<sup>1</sup>/<sub>2</sub> Conference Mute/Unmute participants
- ï¿1/2 Display Meeting Info
- ï¿<sup>1</sup>/<sub>2</sub> Calendar access to my meetings
- ï¿1/2 Show acceptance status per participant
- ï¿1/2 Schedule Teams meeting

Presence and Contacts

- i¿1/2 Presence status synchronize with client, Presence status control
- ï¿1/2 Corporate Directory Access
- ï¿1/2 Show contact picture
- ï¿1/2 Call history: placed/received/missed
- ï¿1/2 Synchronised call logs

Phone Features

i¿½ Single sign-in
i¿½ Visual voicemail
i¿½ Change VM playback speed
i¿½ Phone lock
i¿½ Screensaver
i¿½ Power Saving
i¿½ Supports USB Headset

**Display and Indicator** 

ï¿1/2 7" 1024 x 600 capacitive touch screen

ï¿1/2 5 points multi-touch surface

ï¿1/2 Multilingual user interface

ï¿1/2 Modern Teams interface, Full keyboard

- ï¿1/2 LED for call and message waiting indication
- ï¿<sup>1</sup>/<sub>2</sub> Caller ID with name, number and photo
- ï¿1/2 Presence status control: available, busy, DND, be right back, off work, away

Interface

i¿½ Dual-port Gigabit Ethernet
i¿½ Power over Ethernet (IEEE 802.3af), class 3
i¿½ 1 x USB port
i¿½ 1 x Security lock port
i¿½ 1 x RJ9 (4P4C) handset port
i¿½ 1 x RJ9 (4P4C) headset port

#### Management

ïزائ Configuration: browser/phone/Auto provisioning and Device Management Platform

ï¿1/2 Provisioning priority management

- ï¿1/2 Auto Provisioning via Activation Code
- i¿½ Yealink Redirection and Provisioning Service (RPS)

ï¿1∕2 QoE (Monitoring Reports)

- ï¿1/2 Reset to factory, reboot
- ï¿1/2 Package tracing export, system log



ï¿1/2 Screenshot via URL

ï¿1/2 View license status

i¿1/2 Supports Microsoft Device Management Platform

ï¿1/2 Supports Yealink Device Management Platform

تزيام Supports Unify Square Device Management Platform

Network and Security

i¿½ IPv4/IPv6
i¿½ IP Assignment: Static/DHCP
i¿½ HTTP/HTTPS web server
i¿½ Time and date synchronisation using SNTP
i¿½ SRTP for voice, Transport Layer Security (TLS)
i¿½ HTTPS certificate manager
i¿½ Digest authentication using MD5/MD5-sess
i¿½ IEEE802.1X

Other Physical Features

� Colour: Metallic Grey
� External Yealink AC adapter (optional): AC 100~240V input and DC 5V/2A output
� Power consumption (PSU): 1.5W-4.5W
� Power consumption (PoE): 2.3W-6.0W
� Dimension (W\*D\*H\*T): 259.4mm\*235.2mm\*194.5mm\*42.6mm
� Operating humidity: 10~95%
� Operating temperature: -10~40°C (+14~104°F)

Package Features

i¿½ Package content:
i¿½ - Yealink SIP-T56A IP phone- Handset with handset cord- Ethernet Cable (2m CAT5E FTP Cable)- Stand- Quick Start Guide- Power Adapter (Optional)
i¿½ Qty/CTN: 5 PCS
i¿½ N.W/CTN: 8.3 kg
i¿½ G.W/CTN: 9.2 kg
i¿½ Giftbox size: 299 mm\*293 mm\*128 mm
i¿½ Carton Meas: 660 mm\*293 mm\*312 mm

### **Please Enquire**

Options available for Yealink T56A Teams Edition HD IP Phone (T56A\_TEAMS) :

#### **Compatible Headsets**

Grandstream GUV3000 HD USB Headset (+£35.00), Grandstream GUV3005 HD USB Headset with busy-light (+£68.00), Not Required.

Compatible Wireless Headsets

Jabra Pro 920 Mono with remote handset lifter (+£155.00), Not Required.

### Power Supply Required?

UK-PSU-5V-2A (+£8.60), None - Using PoE.



## **Expansion Module Required?**

Yealink EXP50 Colour-screen Expansion Module (+£66.50), Not Required.

### **USB Dongle Required?**

Yealink WF50 USB WIFi Dongle (+£27.50), Yealink Bluetooth USB Dongle BT41 (+£21.00), Not Required.