

2N Professional Kit in Black (2NProfBlack-Kit)



Product Name: 2N Professional Kit in Black (2NProfBlack-Kit)

Manufacturer: -

Model Number: 2NProfBlack-Kit

This product has been discontinued

2N Professional Kit in Black (2NProfBlack-Kit)

The 2N Professional Kit is ideal for setting up a professional and effective SIP door entry system.

This kit includes:

ï¿½

2N IP Verso Base Unit with Camera - Black (9155101CB)

ï¿½

2N IP Verso Bluetooth & RFID Reader 125KHZ, Secured 13.56MHZ, NFC (9155084)

ï¿½

2N IP Verso Surface Installation 2 Modules - Black (9155022B)

ï¿½

Backplate for 2N Helios IP Verso - 2 Modules (9155062)

ï¿½

2N Helios IP Licence - NFC capabilities for Force and Verso Card Readers only (9137915)

ï¿½

2N Indoor Touch Screen 2.0 - Black (91378375)

ï¿½

2N Indoor Touch Desk Stand Black (91378382)

ï¿½

2N Access Unit 2.0 Bluetooth and RFID Secured (9160335-S)

ï¿½

2N Helios IP Verso Surface Installation 1 Module - Black (9155021B)

What's included in the professional kit:

2N IP Verso Base Unit with Camera - BlackThe 2N IP Verso with Camera is a modular security intercom that can be used everywhere a specific function and purpose of use is needed. The 2N Verso 9155101C features a camera and can be easily integrated into an existing camera and monitoring system, and thanks to programmable scripts, the whole system can be used as a security component to protect a building.

2N IP Verso Bluetooth & RFID Reader 125KHZ, Secured 13.56MHZ, NFCThe 2N IP Verso 9155084 combines the RFID technology with a modern approach to access control based on the Bluetooth mobile credentials. This compact module uses multi-frequency RFID reader and reads also secured RFID cards. It also offers a possibility for authentication using a smartphone with installed 2N® Mobile Key app. All you have to do is tap the button in the application or in the Touch mode, you can even leave your phone in your pocket and open the door by simply touching the reader.

2N IP Verso Surface Installation 2 Modules - BlackThe 2N Surface Installation Frame for 2 Helios IP Verso Modules - Black is a 2 Module Surface-mount Frame in Black for use in completing a 2N

2N Professional Kit in Black (2NProfBlack-Kit)

Helios IP Verso Modular Door Intercom system.

Backplate for 2N Helios IP Verso - 2 Modules Enables installation on glass or uneven surfaces.

2N Helios IP Licence - NFC capabilities for Force and Verso Card Readers only
2N Helios IP Licence

2N Indoor Touch Screen 2.0 - Black
The 2N Indoor Touch 2.0 (91378375) answering unit guarantees reliable video door communication. Featuring Android OS, powerful hardware and a simple user interface, the 2N Indoor Touch 2.0 is easy to integrate with third-party applications such as home automation systems that can be comfortably operated on the 7" touch screen made of tempered glass.

2N Indoor Touch Desk Stand Black
A practical stand for the answering unit 2N Indoor Touch/2N Indoor Touch 2.0, so that it's always within easy reach. The communicator can be easily fixed to the stand with the aid of two screws. You can put it anywhere, e.g. a reception desk, a table or on a shelf.

2N Access Unit 2.0 Bluetooth and RFID Secured
The 2N Access Unit 2.0 Bluetooth and RFID is based purely on IP technology. It combines the functions of a traditional controller with the functions of end access device. The unit is available in versions with keypad, RFID card reader, fingerprint reader or Bluetooth. Its characteristic design is striking, also being attractive thanks to simple installation and configuration. Naturally, it can also be connected to 2N IP intercoms, gaining you a comprehensive access control system solution which you can manage easily via 2N Access Commander.

2N Helios IP Verso Surface Installation 1 Module - Black
The 2N Surface Installation Frame for 1 Helios IP Verso Module - Black is a Single-Module Surface-mount Frame in Black for use in completing a 2N Helios IP Verso Modular Door Intercom system.

Technical Specifications

2N IP Verso Base Unit with Camera - Black - key features

- IP (Internet Protocol) connected Door Entry System
- 2N Verso Modular Intercom Device allows flexibility of specification
- SIP communication protocol
- Programmable scripts for actions and reactions
- Integrates within a LAN, WAN, Web Ethernet network system
- Integration with third-party CCTV systems with ONVIF support
- Power over Ethernet (PoE) (or 12v power supply)
- Next Generation HTML5 web server configuration
- iPad, iPhone, Smart Phone, Tablet audio & video support
- Web Interface Administration / Control of all 2N Helios IP devices from one location
- Stylish, discreet design; robust materials and construction
- IP54 protection rating

Download Datasheet for full technical specification

2N IP Verso Bluetooth & RFID Reader 125KHZ, Secured 13.56MHZ, NFC - key features

- Open doors using a smartphone
- Mobile credentials for free
- Reads secured RFID cards

Download Datasheet for full technical specification

2N IP Verso Surface Installation 2 Modules - key features

- Number of Module Spaces: 2
- Material: Brushed Steel

2N Professional Kit in Black (2NProfBlack-Kit)

- Colour: Black
- Protection level: IP 54
- Visible Product Dimensions: 234(H) x 107(W) x 28(D) mm

[Download datasheet for full technical specification](#)

2N Indoor Touch Screen 2.0 - Black - key features

- Durable " HD touch screen
- Integration with home automation systems
- Easy connection
- A clear, easy to use home screen
- Attractive, award-winning design

[Download datasheet for full technical specification](#)

2N Access Unit 2.0 Bluetooth and RFID Secured - key features

- Convenience of mobile credentials
- Mobile credentials for free
- Multi-frequency RFID card reader
- Different modes of user's authentication

[Download datasheet for full technical specification](#)

2N Helios IP Verso Surface Installation 1 Module - Black - key features

- Flush Mount Front Frame for 2N Verso Door Intercom
- Accepts 1 x Verso additional Module
- Finished in Brushed Steel (Black)
- Stylish, robust Modular Door Intercom system component

[Download datasheet for full technical specification](#)

Please Enquire

Options available for 2N Professional Kit in Black (2NProfBlack-Kit) :

Require RFID Fobs?

Not Required, [5 x RFID Fobs \(9134174\)](#).