

## Snom HD100 Hotel/Hospitality Phone



Product Name: Snom HD100 Hotel/Hospitality Phone

Manufacturer: Snom

Model Number: HD100

### Snom HD100 Hotel/Hospitality Phone

The Snom HD100 is crafted as a sleek and comfortable telephone for modern hotel or guest rooms, prioritizing essential features like speed dialling for hotel facilities and rooms, hands-free calling, and mute functionality. With a PoE power supply and Gigabit Ethernet connection, the device seamlessly integrates into a centrally managed, future-proof network infrastructure.

### snom HD100 Key Features

- Hotel / hospitality features
- Power over Ethernet (PoE)
- HD audio
- Anti-bacterial housing

All HD100 settings can be conveniently administered centrally. Its antibacterial housing guards against germs and is easily cleanable. The device also features prominent LED call and message indicators, along with customisable labelling options, contributing to a comprehensive and user-friendly experience.

### Snom HD100 Technical Specifications

#### Basics and Equipment

- Product Information
- Guest Room Phone | Corded Handset
- PN 00007000
- Colour: Gunmetal Black
- Anti-bacterial Housing
- Equipment
- Sturdy, Solid Construction
- Fully Customizable Faceplate for Hotel Branding and Dialing Instructions
- Placement: Indoor, Desktop, Nightstand, Wall Mounting

#### Dimensions and Weight

- Dimensions (H x W x D, Approx.)
- Corded Handset on the Base Cradle (Desk Mounted): 79 mm &times; 176 mm &times; 163 mm
- Corded Handset on the Base Cradle (Wall Mounted): 79 mm &times; 78 mm &times; 211 mm
- Weight (Approx.)
- Corded Handset on the Base Cradle: 665 g

#### Indicators and Keys

- 2 LED Indicators
- Corded Handset
- Mute Status Indication: 1 Red LED
- Telephone Base
- Call Status Indication | Message Waiting Indication (MWI): 1 Red LED
- 26 Hard Keys in Total
- Corded Handset
- 12 Keys (Standard ITU Telephone Keypad)
- 3 Dedicated Audio Keys: Mute (with Red LED), Volume + / -
- 2 Programmable Function Keys: Speed Dialling

## Snom HD100 Hotel/Hospitality Phone

- 2 Dedicated Function Keys: Emergency, Message
- Telephone Base
- 3 Dedicated Audio Keys: Speakerphone (with Red LED), Volume + / -
- 4 Programmable Function Keys: Speed Dialling

### Audio Devices and Features

- Telephone Base
- Casing Microphone
- Casing Speaker
- Speakerphone Mode (via Dedicated Function Key)
- Corded Handset
- Microphone
- Handset Earpiece
- Hearing Aid Compatible (HAC)
- Built-in Assignable Ringtones

### Interfaces and Connections

- Power Options
- Power Over Ethernet (PoE)
- IEEE 802.3af, Class 2
- Power Adapter

• 1 - 100-240 V AC / 50/60 Hz / 500 mA | 5 V DC / 2 A

### Wired Interfaces

- Ethernet 1 Gbit/s: RJ45-8P8C Socket
- Power Adapter: 1 Coaxial Power Connector (Socket)
- Corded Handset: RJ9-4P4C Socket

### Administration Interfaces and Setup

- Configuration and Setup via Voice Menu
- Configuration and Setup via Menu-Driven Web User Interface (WUI)
- Advanced SIP Configuration Tool for Easy Mass Deployment and Phone Monitoring
- Secure Redirection And Provisioning Service (SRAPS) Support

### Networking Technologies and Protocols

- VLAN Support
- SIP (RFC 3261)

### Call Features

- 1 SIP Identity / Account
- Speed Dialling via Function Keys
- Mute Microphone (via Dedicated Function Key)
- Multicast Paging

### Interoperability

## Snom HD100 Hotel/Hospitality Phone

• Interoperable with All Major IP-PBX Platforms

### Environmental Conditions

• Operating Ambient Temperature: 5 °C - 45 °C

• Humidity (Non-Condensing): 5% - 95%

### Package Contents

• Hardware

• Telephone Base

• Corded Handset

• Footstand

• Wall Mount Kit

• 2 Ethernet Cables:

• Cable Length (Approx.): 140 mm | 2 m

• Documentation

• Quick Installation Guide (QIG)

### Snom Accessories and Compatible Devices

• Power Adapter:

• 1 Telephone Base PSU

• EU: PN 00004687

• UK: PN 00004688

• AU: PN 00004689

**Price: £68.30**